

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050097510"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 09:13
L2	14116	confidence near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:14
L3	486	2 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:14
L4	0	3 and pool\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:15
L5	114	3 and poll\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:15
L6	104	5 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:15
L7	91	6 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 10:14
L8	91	7 and identif\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 09:17
L9	77	8 and match\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 10:12
L10	119	2 and (select\$5 same prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 10:13

EAST Search History

L11	23	10 and poll\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 10:14
L12	19	11 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 10:14
L13	17	12 and match\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 10:14
L14	16	13 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 10:26
L15	4	prox\$3 with (confidence near level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 10:24
L16	1292	select\$5 with (confidence near level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 10:25
L17	2	16 and (prox\$3 same poll\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 10:26
L18	37	16 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 10:32
L19	24	18 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 11:06
L20	20	19 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/07 10:26
L21	20	20 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/07 10:27

EAST Search History

L22	2	17 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 10:54
L23	3	2 and (printer same prox\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 10:55
L24	1	2 and (driver same prox\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:05
L25	2180	2 and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:05
L26	121	25 and prox\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:05
L27	47	26 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:05
L28	41	27 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 13:35
L29	14283	confiden\$5 near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:31
L30	47	29 and (select\$5 same print\$5 same driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:34
L31	2	30 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:33

EAST Search History

L32	43	30 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:33
L33	120	29 and (select\$5 same prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:54
L34	29	33 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:35
L35	24	34 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 13:47
L36	23	35 and compar\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 13:41
L37	32	29 and (select\$5 near prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:47
L38	29	37 and compar\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:47
L39	27	38 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 13:58
L40	2	29 and (poll\$5 same prox\$3 same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:54
L41	4	29 and (poll\$5 same prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:56

EAST Search History

L42	491	29 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:57
L43	111	42 and poll\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:57
L44	91	43 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:57
L45	82	44 and compar\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:57
L46	70	45 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:09
L47	0	46 and (print\$4 near driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 13:59
L48	34	46 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:07
L49	1186	select\$6 with (confiden\$5 near level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:08
L50	1304	select\$6 with (confiden\$5 near level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:08
L51	37	50 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:08

EAST Search History

L52	32	51 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:08
L53	30	52 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:09
L54	20	53 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:34
L55	0	54 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:10
L56	6	printer near driver near prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:24
L57	5	56 and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:31
L58	2	select\$5 with (prox\$3 same confidence same level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:32
L59	14116	(confidence near level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:33
L60	766	59 and (best near match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:37
L61	67	60 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:38

EAST Search History

L62	61	61 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:38
L63	24	62 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:38
L64	90	59 and (creat\$ same (best near match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:37
L65	19	64 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:38
L66	2	65 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:38
L67	17	65 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 14:39

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32456959	(@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 15:55
L2	1373	compar\$5 with (confidence near level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:54
L3	9	2 and (select\$5 same prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:55
L4	8	3 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:15
L5	282	select\$5 with (prox\$3 same creat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:12
L6	39	5 and (confidence same level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:12
L7	5	6 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:14
L8	37	6 and device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:14
L9	34	8 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:44
L10	34	9 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:41
L11	748	prox\$3 with (creat\$5 same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:43

EAST Search History

L12	833	prox\$3 with (creat\$5 same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:43
L13	33	12 and (confidence same level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:44
L14	31	13 and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:44
L15	29	14 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:50
L16	810	creat\$5 with (object same prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:50
L17	85	16 and confidence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:50
L18	33	16 and (confidence same level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:50
L19	31	18 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:53
L20	81	17 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:03
L21	49	20 and compare	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 16:53
L22	81	20 and compar\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:01

EAST Search History

L23	13141	confidence near level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:01
L24	1243	compar\$5 with (confidence near level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:01
L25	1	24 and (creat\$5 same object same prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:02
L26	96	24 and (creat\$5 same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:03
L27	10	26 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:07
L28	9	27 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:10
L29	48	24 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:09
L30	460	23 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:09
L31	112	30 and (generat\$5 same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/07 17:10
L32	96	31 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:57
L33	94	32 and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:40
L34	91	33 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:50

EAST Search History

L35	304	creat\$5 with (best near match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:50
L36	21	35 and prox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:51
L37	5	36 and (confidence same level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:56
L38	15	23 and (poll\$ same prox\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:57
L39	9	38 and (@pd<"20031105" or @ad<"20031105" or @prad<"20031105" or @rlad<"20031105")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 17:57